## REWRITE THE FOLLOWING CLAIMS:

(Amended) A composition of matter comprising: an admixture of an alphatic hydroxyl containing dendrimer with at least 8 hydroxyl groups per molecule; a glycoluril derivative; a photoacid generator; an organic solvent; and an organic base.

02

-- 11. (Amended) A composition according to claim 10 wherein said aliphatic hydroxyl containing dendrimer with at least 8 hydroxyl groups per molecule is a phenolic resin.

3

- 12. (Amended) A composition according to claim 11 wherein said glycoluril derivative has

the general formula:

ROCH<sub>2</sub> R<sub>1</sub> CH<sub>2</sub>OR O= N N N ROCH<sub>2</sub> R<sub>2</sub> CH<sub>2</sub>OR

Glycouril derivatives

RECEIVED TC 1700

in which R is methyl,  $R_1$  and  $R_2$  can be selected individually from the group consisting of alkyls having 1-6 carbons, alkenyls, and alkoxys.

-- 13. (Amended) A composition according to claim 11 wherein said photoacid generator is selected from onium salts of Group IV elements.

-- 14. (Amended) A composition according to claim I wherein said photoacid generator is selected from onium salts of Group VIa elements.

(Amended) A composition according to claim! wherein said phenolic resin, said glycoluril derivative, said photoacid generator and said solvent form an admixture comprising from about 40% to about 80% of said phenolic resin from about 5% to about 25% of said glycoluril derivative and from about 2.0% to about 20% of said photoacid generator.

ORIGINALLY FILES

35